



TDS技术数据表 Technical Data Sheet

NX-RHE 耐黄硬化剂 Yellow Resistant Hardener

产品编号 Product Number	NX-RHE	制表人 Data Sheet maker	涂苏青 Tu Suqing	制表日期 Date	2026年1月
------------------------	--------	-------------------------	------------------	--------------	---------

一、产品用途与特性 Product Usage and Characteristics

1. 本产品属聚异氰酸酯聚合物。

This product is a polyisocyanate polymer.

2. 本产品耐黄变佳，配合PU胶增加初粘力，抗拉丝等。

This product is resistant to yellowing and excellent, with PU glue to increase the initial adhesion, anti drawing, etc.

二、产品技术指标 Product Technical Indicators

产品型号 Production Number	NX-RHE
外观 Appearance	无色透明液体 Colorless Transparent Liquid
干燥条件 Drying conditions	55±5℃ 4-5分 55±5℃ 4-5Minutes
储存期（5-35℃） Storage period	6个月（5-35℃） 6 months

三、产品使用指引 Product Usage Guidelines

1. RHE硬化剂按3-5%比例添加于处理剂中，搅拌均匀即可。

RHE hardener should be added to the primer at a ratio of 3-5%, stirring well.

2. 用毛刷或棉布均匀涂布表面。

Brush the surface evenly with a brush or cotton cloth.


3. RHE硬化剂添加量按湿度大小添加。湿度大于80% 4-5%；湿度低于80% 3-4%

The amount of RHE hardener is added according to the humidity. Humidity higher than 80% 4-5%；Humidity lower than 80% 3-4%

4. RHE硬化剂开瓶后需及时密封，避免吸收水份，影响效果。

The RHE hardener should be sealed in time after opening the bottle to avoid absorbing water and affecting the effect.

四、使用流程 Application Process





TDS技术数据表 Technical Data Sheet

五、注意事项 Attention:

1.准确辨别材质，选用适用的产品。

Accurately identify the material and choose the appropriate products.

2.大量使用前先试胶确认。

Please do the adhesive trial SOP confirmation before mass production.

3.储存于阴凉处，避免阳光直接辐射，适用温度5-35℃。

Store in a shade place, avoid direct sunlight, and keep at a temperature between 5–35°C.

4.该物质内含易燃有机溶剂，远离火源、食品，贮存容器应密封。

This product contains flammable organic solvent. Keep away from fire and food, and ensure the storage container is tightly sealed.

5.上述储存条件下，使用期限6个月，超过储存期，必须经过详细物理测试确认后方可使用。

Under the above storage conditions, the period is 6 months. Beyond the storage period, it can only be used after detailed physical test and confirmation.

6.操作人员须佩戴个人防护用品。

Operators must wear personal protective equipment.

7.详细资料请参照MSDS资料。

Please refer to MSDs for details.